

TEST REPORT

No. : SHMR240300554105

Date : Jul 17, 2024

Page: 1 of 5



CUSTOMER NAME: Jiang Su Wan Yuan New Materials Co., Ltd.
ADDRESS: XingyeRoad, ShangdangTown, DantuDistrict, Zhenjiang, Jiangsu, China

Sample Name : Hydrophilic aluminum foil

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : SHP24-009067
Date of Receipt : Mar 27, 2024
Testing Start Date : Mar 27, 2024
Testing End Date : Jul 17, 2024
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical
Services (Shanghai) Co., Ltd.

Crystal Wan
Authorized signatory



TEST REPORT

No. : SHMR240300554105

Date : Jul 17, 2024


Page: 2 of 5

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Neutral Salt Spray Test	ASTM B117-19 & ASTM D1654-08(2016) ^{ε1}	See result	/

Note: Pass : Meet the requirements;
 Fail : Does not meet the requirements;
 / : Not Apply to the judgment.

Original Sample Photo:



TEST REPORT

No. : SHMR240300554105

Date : Jul 17, 2024

Page: 3 of 5

Test Item: Neutral Salt Spray Test

Sample Description: Blue metal foil

Test Method: ASTM B117-19 & ASTM D1654-08(2016) ^{ε1}

Test Condition:

Concentration of solution collected: (5±1)% NaCl(m/m)

Chamber temperature: (35±2)°C

Volume of salt solution collected: (1.0~2.0)ml/(80cm²·h)

pH of collected solution at (23±3)°C: 6.5~7.2

Exposure period: 2500h

Test Result:

Sample	Appearance	Blistering rating (See note 1)	Rust rating (See note 2)
1	No visual rust or blistering	10	10
2	No visual rust or blistering	10	10
3	No visual rust or blistering	10	10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services Co., Ltd. | No.69, Block 1159, Kangqiao East Road, Pudong District, Shanghai, China 201319 | t (86-21) 61196300 | www.sgs.com.cn
 中国·上海·浦东康桥东路1159弄69号 | 邮编: 201319 | t (86-21) 61196300 | sgs.china@sgs.com

TEST REPORT

No. : SHMR240300554105

Date : Jul 17, 2024

Page: 4 of 5

Note:

1. Blistering rating refers to ASTM D714-02(2017), including size and frequency: the size is divided into 10 levels where 10 is the best, 0 is the worst. The frequency is divided into 4 levels: Dense, D; Medium dense, MD; Medium, M; Few, F.
2. Rust grade refers to ASTM D610-08(2019), as follows:

Percent of surface rusted, A (%)	Rust grade
$A \leq 0.01$	10
$0.01 < A \leq 0.03$	9
$0.03 < A \leq 0.1$	8
$0.1 < A \leq 0.3$	7
$0.3 < A \leq 1.0$	6
$1.0 < A \leq 3.0$	5
$3.0 < A \leq 10.0$	4
$10.0 < A \leq 16.0$	3
$16.0 < A \leq 33.0$	2
$33.0 < A \leq 50.0$	1
$50 < A$	0

3. Rust rating using rust grade of 0-10 followed by the type of rust distribution identified by S for Spot, G for General, P for Pinpoint or H for Hybrid.
4. Intermediate inspection was carried out immediately without any treatment and the result is only for client's reference.
5. Test specimens were cut from the sample.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services (Shanghai) Co., Ltd. No.69, Block 1159, Kangqiao East Road, Pudong District, Shanghai, China 201319
 中国·上海·浦东康桥东路1159弄69号 邮编: 201319

t (86-21) 61196300 www.sgs.com.cn
 t (86-21) 61196300 sgs.china@sgs.com


TEST REPORT

No. : SHMR240300554105

Date : Jul 17, 2024

Page: 5 of 5

Test Photo:



Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Q-Fog Cyclic Corrosion Tester	Q-FOG-CCT1100	P-416	2024-02-05	2025-02-04

Appendix information:

*In the territory of the People's Republic of China, the test report without CMA logo expresses the test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc., and just for client internal reference.

***** End of report*****

